

TEST REPORT

REPORT NUMBER : TURT130077214-REVISED 01
APPLICANT NAME Ceren Kağıt ve Kırtasiye San. A.Ş.
ADDRESS Ziya Gökalp Mah. Eski Turgut Özal Cad. Haseyad İş Merkezi İ.O.S.B Başakşehir / İstanbul
TURKEY
FAX NO :0212 407 06 66
Attention :Berçem Keresteci (bercem@cerenkirtasiye.com.tr)

BUYER NOT GIVEN

SAMPLE DESCRIPTION :
Sample 1 One sample of gouache paint 6 colour
Sample 2 One sample of gouache paint 12 colour

DATE IN : 22 May, 2013 (09:58)
DATE OUT : 04 June, 2013 / 10 June, 2013
COUNTRY OF ORIGIN: CHINA
ITEM NO: PLAY-GU001 / PLAY-GU002

NOT : In this revised 01 report, sample description (sample 1) was corrected due to typing error
This report replaces the report no TURT130077214 dated on 04 June, 2013 and must be used of it.

TEST	Sample 1	Sample 2
SAFETY OF TOYS-PART 1:MECHANICAL AND PHYSICAL PROPERTIES	P (Except 7.1 & 7.2)	X
SAFETY OF TOYS-PART 2:FLAMMABILITY	P	X
SAFETY OF TOYS PART 3:SPECIFICATION FOR MIGRATION OF CERTAIN ELEMENTS	P	P
TOTAL PHTHALATE CONTENT	P	P

P = MEETS BUYER' S REQUIREMENT / F = DOES NOT MEET BUYER' S REQUIREMENT / NR = NO REQUIREMENT / SC=STILL CONTINUES / X=NOT PERFORMED / NA = NOT APPLICABLE/ LS : LACK OF SAMPLE

The test results relate only to the items tested. The whole and/or the part of this test report shall not be reproduced and shall not be shared with third parties, nor to be used for PR activities without the written permission of INTERTEK Test Hizmetleri A.S.

The reported uncertainty is based on a standard uncertainty multiplied by a coverage factor k=2, providing a level of confidence of approximately 95%. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and UKAS accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline. Borderline results need to be re-tested to determine their disposition up to customer's decision. Opinions and interpretations expressed herein are outside the scope of UKAS accreditation. Tests marked (*) in this test report are not included in the UKAS accreditation schedule for this laboratory.



Vahide Serap MERT
COORDINATOR



Sinan Öncel
CUSTOMER CARE MANAGER



2111

Intertek Test Hizmetleri A.S.
Merkez Mahallesi Sanayi Cad. No.23 Altındag Plaza Yenibosna 34197 - ISTANBUL / TURKEY
Phone : +90.212. 496 46 46 Fax: +90.212. 452 80 55
e-mail : labtest.turkey@intertek.com
www.intertek-cg-tur.com



130077214

Test Method	Result	Requirements
-------------	--------	--------------

This report details the clauses appropriate to this item. Those clauses not referred to were considered not applicable.

(*)Specification: BS EN 71-1: 2011- Safety of Toys - Specification for Mechanical and Physical Properties

The item was labelled "3+ years".

The item was tested for children aged over 36 months.

The item was packaging in a cardboard box which was considered to be disposable.

Sample 1

SECTION	TEST	RESULTS
4	General Requirements	
4.1	Material	Pass
4.7	Edges	Pass
4.8	Points & Metallic Wires	Pass
7	Warning and Instruction for Use	
7.1	<p>General</p> <p>*The toy was labelled "Made in China however manufactured address in Turkey"</p> <p>The toy or, its packaging or document accompanying must be labelled with:</p> <ul style="list-style-type: none"> - The name and address of the manufacturer.** - Warning and other information should be in the national language(s) of the countries where the toy is marketed. <p>**In the case of the toy sell in European countries, the toy, its packaging or document accompanying must be labelled with the name and address of the manufacturer and importer.</p>	See Comment
7.2	<p>Toys not intended for children under 36 months</p> <p>The item, its packaging or accompanying leaflet must be labeled with:</p> <p>The following warning "Warning! Not suitable for children under 36 months" with a brief indication of the specific hazard or correct age graphical symbol.</p>	See Comment



Test Method	Result	Requirements
-------------	--------	--------------

(*)Specification: BS EN 71-2: 2011 Safety of Toys – Flammability

Sample 1

SECTION	TEST	RESULTS
4.1	General	
	Celluloid/cellulose nitrate and materials with a same burning behaviour in fire	Pass



2111

Intertek Test Hizmetleri A.S.

Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna 34197 - ISTANBUL / TURKEY

Phone : +90.212. 496 46 46 Fax: +90.212. 452 80 55

e-mail : labtest.turkey@intertek.com

www.intertek-cq-tur.com

Test Method	Result	Requirements
Safety of toys. Specification for Migration of Certain Elements		
BS EN 71-3 : 1995		
Acid extraction method was used and toxic elements content were determined by Inductively Coupled Plasma-ICP_OES.		
Sample 1&2	RESULT IN ppm	PASS/FAIL
1- Composite sample of light green, green, blue dye		Requirement (ppm)
Antimony (Sb)	<2 ppm	PASS 60
Arsenic (As)	<2 ppm	PASS 25
Barium (Ba)	44 ppm	PASS 1000
Cadmium (Cd)	<2 ppm	PASS 75
Chromium (Cr)	<5 ppm	PASS 60
Lead (Pb)	<5 ppm	PASS 90
Mercury (Hg)	<2 ppm	PASS 60
Selenium (Se)	<2 ppm	PASS 500
2- Composite sample of brown, blue, black dye		
Antimony (Sb)	<2 ppm	PASS 60
Arsenic (As)	<2 ppm	PASS 25
Barium (Ba)	75 ppm	PASS 1000
Cadmium (Cd)	<2 ppm	PASS 75
Chromium (Cr)	<5 ppm	PASS 60
Lead (Pb)	<5 ppm	PASS 90
Mercury (Hg)	<2 ppm	PASS 60
Selenium (Se)	<2 ppm	PASS 500

ppm (part per million) =mg / kg
 < =Less Than

(Estimated Total uncertainty=Results quoted have been corrected for uncertainty. -)



2111

Test Method	Result	Requirements
Safety of toys. Specification for Migration of Certain Elements		
BS EN 71-3 : 1995		
Acid extraction method was used and toxic elements content were determined by Inductively Coupled Plasma-ICP_OES.		
Sample 1&2	RESULT IN ppm	PASS/FAIL
3- Composite sample of red, yellow, white dye		Requirement (ppm)
Antimony (Sb)	<2 ppm	PASS 60
Arsenic (As)	<2 ppm	PASS 25
Barium (Ba)	96 ppm	PASS 1000
Cadmium (Cd)	<2 ppm	PASS 75
Chromium (Cr)	<5 ppm	PASS 60
Lead (Pb)	<5 ppm	PASS 90
Mercury (Hg)	<2 ppm	PASS 60
Selenium (Se)	<2 ppm	PASS 500
4- Composite sample of pink, orange, purple dye		
Antimony (Sb)	<2 ppm	PASS 60
Arsenic (As)	<2 ppm	PASS 25
Barium (Ba)	76 ppm	PASS 1000
Cadmium (Cd)	<2 ppm	PASS 75
Chromium (Cr)	<5 ppm	PASS 60
Lead (Pb)	<5 ppm	PASS 90
Mercury (Hg)	<2 ppm	PASS 60
Selenium (Se)	<2 ppm	PASS 500
ppm (part per million)	=mg / kg	
<	=Less Than	

(Estimated Total uncertainty=Results quoted have been corrected for uncertainty. -)



2111

Test Method	Result	Requirements
-------------	--------	--------------

TOTAL PHTHALATE CONTENT

EN14372 :2004 Method By Gas Chromatographic- Mass Spectrometric (GC- MS) Analysis : 2004
Sample 1&2

1- Composite sample of red, pink, brown, blue, orange dye	
	RESULT (%. w/w)
DIBUTYL PHTHALATE (DBP)	ND
DIETHYL HEXYL PHTHALATE (DEHP)	ND
BENZYL BUTYL PHTHALATE (BBP)	ND
SUM OF THREE PHTHALATES	ND
LIMIT (MAX.)	TOTAL 0,1% (1000 ppm)
	RESULT (%. w/w)
DI-ISO-NONYL PHTHALATE (DINP)	ND
DI-N-OCTYL PHTHALATE (DNOP)	ND
DI-ISO-DECYL PHTHALATE (DIDP)	ND
SUM OF THREE PHTHALATES	ND
LIMIT (MAX.)	TOTAL 0,1% (1000 ppm)

REMARK =The Above Limit Was Quoted According To Annex XVII Items 51&52 of the REACH Regulation (EC) No.1907/2006 (Formerly known as Directive 2005/84/EC) for Phthalate Content.
 =Correction of the mass due to untreated textile components has been done

ppm (part per million) =mg / kg
 Detection Limit = DINP, DIDP: 100 ppm, Other phthalates: 10 ppm
 < =Less Than
 * =EXCEEDED LIMIT
 ND =Not Detected

COMMENT =The Phthalate Content Test Result DID NOT EXCEED The Limit Of 0.1% By Weight As Stated In European Commission Directive 2005/84/EC On 14 December 2005 Relating To Restrictions On Phthalates In Toys And Children Articles.

(Estimated Total uncertainty=± 5 %)



Test Method	Result	Requirements
-------------	--------	--------------

TOTAL PHTHALATE CONTENT

EN14372 :2004 Method By Gas Chromatographic- Mass Spectrometric (GC- MS) Analysis : 2004
Sample 1&2

2- Composite sample of light green, green, light blue, black, purple dye	
	<u>RESULT (%, w/w)</u>
DIBUTYL PHTHALATE (DBP)	ND
DIETHYL HEXYL PHTHALATE (DEHP)	ND
BENZYL BUTYL PHTHALATE (BBP)	ND
SUM OF THREE PHTHALATES	ND
LIMIT (MAX.)	TOTAL 0,1% (1000 ppm)
	<u>RESULT (%, w/w)</u>
DI-ISO-NONYL PHTHALATE (DINP)	ND
DI-N-OCTYL PHTHALATE (DNOP)	ND
DI-ISO-DECYL PHTHALATE (DIDP)	ND
SUM OF THREE PHTHALATES	ND
LIMIT (MAX.)	TOTAL 0,1% (1000 ppm)

REMARK =The Above Limit Was Quoted According To Annex XVII Items 51&52 of the REACH Regulation (EC) No.1907/2006 (Formerly known as Directive 2005/84/EC) for Phthalate Content.
 =Correction of the mass due to untreated textile components has been done

ppm (part per million) =mg / kg
 Detection Limit = DINP, DIDP: 100 ppm, Other phthalates: 10 ppm
 < =Less Than
 * =EXCEEDED LIMIT
 ND =Not Detected

COMMENT =The Phthalate Content Test Result DID NOT EXCEED The Limit Of 0.1% By Weight As Stated In European Commission Directive 2005/84/EC On 14 December 2005 Relating To Restrictions On Phthalates In Toys And Children Articles.

(Estimated Total uncertainty=± 5 %)



Test Method	Result	Requirements
-------------	--------	--------------

TOTAL PHTHALATE CONTENT

EN14372 :2004 Method By Gas Chromatographic- Mass Spectrometric (GC- MS) Analysis : 2004
Sample 1&2

3- Composite sample of white, yellow dye	
	<u>RESULT (%, w/w)</u>
DIBUTYL PHTHALATE (DBP)	ND
DIETHYL HEXYL PHTHALATE (DEHP)	ND
BENZYL BUTYL PHTHALATE (BBP)	ND
SUM OF THREE PHTHALATES	ND
LIMIT (MAX.)	TOTAL 0,1% (1000 ppm)
	<u>RESULT (%, w/w)</u>
DI-ISO-NONYL PHTHALATE (DINP)	ND
DI-N-OCTYL PHTHALATE (DNOP)	ND
DI-ISO-DECYL PHTHALATE (DIDP)	ND
SUM OF THREE PHTHALATES	ND
LIMIT (MAX.)	TOTAL 0,1% (1000 ppm)

REMARK =The Above Limit Was Quoted According To Annex XVII Items 51&52 of the REACH Regulation (EC) No.1907/2006 (Formerly known as Directive 2005/84/EC) for Phthalate Content.
 =Correction of the mass due to untreated textile components has been done

ppm (part per million) =mg / kg
 Detection Limit = DINP, DIDP: 100 ppm, Other phthalates: 10 ppm
 < =Less Than
 * =EXCEEDED LIMIT
 ND =Not Detected

COMMENT =The Phthalate Content Test Result DID NOT EXCEED The Limit Of 0.1% By Weight As Stated In European Commission Directive 2005/84/EC On 14 December 2005 Relating To Restrictions On Phthalates In Toys And Children Articles.

(Estimated Total uncertainty=± 5 %)



Test Method	Result	Requirements
-------------	--------	--------------

TOTAL PHTHALATE CONTENT

EN14372 :2004 Method By Gas Chromatographic- Mass Spectrometric (GC- MS) Analysis : 2004
Sample 1&2

4- Composite sample of white, transparent plastic	
	<u>RESULT (%, w/w)</u>
DIBUTYL PHTHALATE (DBP)	ND
DIETHYL HEXYL PHTHALATE (DEHP)	ND
BENZYL BUTYL PHTHALATE (BBP)	ND
SUM OF THREE PHTHALATES	ND
LIMIT (MAX.)	TOTAL 0,1% (1000 ppm)
	<u>RESULT (%, w/w)</u>
DI-ISO-NONYL PHTHALATE (DINP)	ND
DI-N-OCTYL PHTHALATE (DNOP)	ND
DI-ISO-DECYL PHTHALATE (DIDP)	ND
SUM OF THREE PHTHALATES	ND
LIMIT (MAX.)	TOTAL 0,1% (1000 ppm)

REMARK =The Above Limit Was Quoted According To Annex XVII Items 51&52 of the REACH Regulation (EC) No.1907/2006 (Formerly known as Directive 2005/84/EC) for Phthalate Content.
 =Correction of the mass due to untreated textile components has been done

ppm (part per million) =mg / kg
 Detection Limit = DINP, DIDP: 100 ppm, Other phthalates: 10 ppm
 < =Less Than
 * =EXCEEDED LIMIT
 ND =Not Detected

COMMENT =The Phthalate Content Test Result DID NOT EXCEED The Limit Of 0.1% By Weight As Stated In European Commission Directive 2005/84/EC On 14 December 2005 Relating To Restrictions On Phthalates In Toys And Children Articles.

(Estimated Total uncertainty=± 5 %)



Test Method	Result	Requirements
-------------	--------	--------------



END OF TEST REPORT



2111