

REPORT NUMBER : TURA130116742 – REVISED01
APPLICANT NAME **Ceren Kağıt ve Kırtasiye A.Ş.**
İOSB Ziya Gökalp Mh.Eski Turgut Özal Cd. Haseyad İş Mrkz.
Fax: 0212 659 02 20
ADDRESS **Attention : Berçem Keresteci (bercem@cerenkirtasiye.com.tr)**
SAMPLE DESCRIPTION : Multicolor oil pastels cover
BUYER : TÜKİD
DATE IN : 31 July, 2013 (08:37)
DATE OUT : 06 August, 2013 / 12 August, 2013
PRODUCT CODE : PLAY-PA005, PLAY-PA006, PLAY-PA007, PLAY-PA008
NOTE: In this revised01 report, product code and new sample picture were added by the request of the vendor.
This report replaced the report no TURA130116742 dated on 06 August, 2013 and must be used instead of it.

PHOTO OF PRODUCT TESTED :

Merve Şahin
Coordinator

Neslihan Sözer
Chemical Laboratory Manager



2111

Intertek Test Hizmetleri A.S.
Merkez Mahallesi Sanayi Cad. No: 23 Altındağ Plaza Yenibosna 34197 - ISTANBUL / TURKEY
Phone : +90.212. 496 46 46 Fax : +90.212. 452 80 55
e-mail : intertekg.turkiye@intertek.com
www.intertek-turkey.com



130116742

Code	Test Method	Result	Requirements
Part No	Tested Part		
1	MULTICOLOR OUTER PART		
2	WHITE INNER PLASTIC		
3	YELLOW HOLDER		
4	YELLOW SNAP		
5	WHITE INNER PART		



2111

Code	Test Method	Result	Requirements
------	-------------	--------	--------------

RESULTS :

Analysis Parameter	Reference Analysis Method	PASS	FAIL	Norm Limit	Standard for Norm Limit	Tested Part
Phthalate	EN 14372 by GC MS	P	-	DBP/DEHP/BBP : 1000 ppm DINP/DNOP/ DIDP :1000 ppm	(27893) Notification On Market Supervision And Controls Regarding Hazardous Chemical Contents Of Some End- User Products	Part 1-5

P = MEETS BUYER' S REQUIREMENT / F = DOES NOT MEET BUYER' S REQUIREMENT / NR = NO REQUIREMENT / SC=STILL CONTINUES / X=NOT PERFORMED

The test results relate only to the items tested. The report shall not be reproduced except in full, without the written approval of the laboratory. The reported uncertainty is based on a standard uncertainty multiplied by a coverage factor k=2, providing a level of confidence of approximately 95%. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and UKAS accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline. Borderline results need to be re-tested to determine their disposition up to customer's decision. Opinions and interpretations expressed herein are outside the scope of UKAS accreditation. Tests marked (*) in this test report are not included in the UKAS accreditation schedule for this laboratory.



2111

Code	Test Method	Result	Requirements
------	-------------	--------	--------------

TOTAL PHTHALATE CONTENT

EN 14372 : 2004 Method By Gas Chromatographic-Mass Spectrometric (GC-MS) Analysis :

	<u>Part 1</u>	<u>Part 2</u>	<u>Part 3</u>	<u>Part 4</u>	<u>Part 5</u>
DIBUTYL PHTHALATE (DBP)	ND	ND	ND	ND	ND
DIETHYL HEXYL PHTHALATE (DEHP)	ND	ND	ND	ND	ND
BENZYL BUTYL PHTHALATE (BBP)	ND	ND	ND	ND	ND
SUM OF THREE PHTHALATES	ND	ND	ND	ND	ND
DI-ISO-NONYL PHTHALATE (DINP)	ND	ND	ND	ND	ND
DI-N-OCTYL PHTHALATE (DNOP)	ND	ND	ND	ND	ND
DI-ISO-DECYL PHTHALATE (DIDP)	ND	ND	ND	ND	ND
SUM OF THREE PHTHALATES	ND	ND	ND	ND	ND

REMARK =The Above Limit Was Quoted According To The EEC Directive 2005/84/EC On 14 December 2005.
 ND =Not Detected
 ppm (part per million) =mg / kg
 Detection Limit = DINP,DIDP : 100 ppm, Other Phthalates : 10 ppm
 < =Less Than
 * =EXCEEDED LIMIT
 LIMIT (MAX.) =DBP,DEHP,BBP < 1000 ppm ; DINP, DNOP, DIDP < 1000 ppm

(Total Uncertainty=±5 %)

END OF TEST REPORT



2111